OUTDOOR | WALL MOUNTED

850 Watt

IP Enclosures air conditioners are designed for the cooling needs of electrical cabinets, optimised for door or side-panel mounting and have been designed for high efficiency and low maintenance. They are made in Italy and are SAA approved and certified for use in Australia.

Features	Unit	IP-ACOWM085
Power supply	V/Hz	230V/1ph/50-60
Dimensions HxWxD	mm	635x305x210
Cooling capacity EN14511 A35A35	W	850/900
Cooling capacity EN14511 A35A50	W	625/650
Air flow rate (free blow) enclosure	m³/h	600/625
Max current	Α	2.65/2.75
Delayed fuse	Α	6
Absorbed electric power EN14511 A35A35	W	490/530
Absorbed electric power EN14511 A35A50	W	600/640
Refrigerant (type/charge)	-/g	R134a/390g
Operating temperature (ambient)	°C	+5/+55
Operating temperature (enclosure)	°C	+20/+45
Temperature controller (factory set at 35°C)	-	Integrated digital thermostat
Compressor type	-	Rotative Compressor
Electrical connection	-	Three-pole connector
Protection degree EN60529/1 enclosure side	-	IP54
Protection degree EN60529/1 ambient side	-	IP34
Weight (with packaging)	kg	23
Colour	-	RAL 7035
Conformity/Certifications	-	SAA, CE, AS/NZS60335.2.40:2019, AS/NZS60335.1:2020









