



PRODUCT BROCHURE

Stainless Steel Pushbutton Enclosures
& Terminal Boxes

IP66-IP67 Pushbutton Enclosures

SSP

Stainless Steel Grade 304

FLAT ROOF | IP66, IP67 | 22.5mm Hole



Features & Specifications

The IP Enclosures SSP range of grade 304 stainless steel pushbutton enclosures are ideal for use in the harshest environments. The silicon seal gasket is resistant to harsh chemicals. They are available in 1 hole, 2 hole, 3 hole, 4 hole, 6 hole and 8 hole configurations.

Protection: IP66, IP67, NEMA 4x

Standard: UL508A Certified  

Material:

- Body: 1.0mm Grade 304 Stainless Steel
- Lid/Door: 1.0mm Grade 304 Stainless Steel
- Seal: Silicone

Body: The robust body is fabricated using 1.0mm Grade 304 Stainless Steel and incorporates a high quality Silicone seal.

Lid/Door: The robust pre-drilled lid/door is fabricated using 1.0mm Grade 304 Stainless Steel and is fastened using screws.

Seal: High quality Silicone seal.



FLAT ROOF

Part Number	Description
Standard	Number of 22.5mm Holes
IP-304-P1	1 Hole
IP-304-P2	2 Hole
IP-304-P3	3 Hole
IP-304-P4	4 Hole
IP-304-P2X2	4 Hole (2 Columns of 2)
IP-304-P3X2	6 Hole (3 Columns of 2)
IP-304-P4X2	8 Hole (4 Columns of 2)

IP66-IP67 Terminal Boxes

Stainless Steel Grade 304

SST

SCREWED LID | IP66, IP67



The IP Enclosures SST range of grade 304 stainless steel terminal boxes are designed for use in the most demanding industrial environments.

Features & Specifications

The IP Enclosures SST range of grade 304 stainless steel terminal boxes are designed for use in the most demanding industrial environments.

Protection: IP66, IP67, NEMA 4x

Standard: UL508A Certified 

Material:

- Body: 1.0mm. Grade 304 Stainless Steel
- Door: 1.0mm. Grade 304 Stainless Steel
- Seal: Silicone

Body: The robust body is fabricated using 1.0mm Grade 304 Stainless Steel and incorporates a high quality Silicone seal.

Lid/Door: The robust pre-drilled lid/door is fabricated using 1.0mm Grade 304 Stainless Steel and is fastened using screws.

Seal: High quality Silicone seal.

Internal Plate: The inner plate is fabricated using 2.5mm sheet steel, supplied pre-fitted into the terminal box as standard.



Part Number	Size
SKU	H x W x D (mm)
IP-304-T090909	90 x 90 x 90
IP-304-T140909	140 x 90 x 90
IP-304-T200909	200 x 90 x 90
IP-304-T280909	280 x 90 x 90
IP-304-T101010	100 x 100 x 100
IP-304-T161010	160 x 100 x 100
IP-304-T161610	160 x 160 x 100
IP-304-T251610	250 x 160 x 100
IP-304-T202010	200 x 200 x 100
IP-304-T402012	400 x 200 x 120
IP-304-T403012	400 x 300 x 120
IP-304-T404012	400 x 400 x 120



IP ENCLOSURES PTY LTD

ABN 17 168 921 319

Head Office: 19-27 Fred Chaplin Circuit, Bells Creek QLD 4551

sales@ipenclosures.com.au | www.ipenclosures.com.au

Telephone: 1300 576 094 | + 61 7 5450 1489

GLOBAL DISTRIBUTION: UK Europe USA UAE NZ Asia-Pacific